

**WC NET BLEACH GEL - perfumed- pink**  
**SAFETY DATA SHEET (Regulation (EU) 2015/830)**



---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1. Product identifier

Mixture identification:

Trade name: WC NET BLEACH GEL - perfumed- pink  
Product code: 2F0125  
Product type and use: Toilet cleaner  
chlorine based bleach

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

See label: instructions and precautions

Uses advised against:

See label: instructions and precautions.

1.3. Details of the supplier of the safety data sheet

Company:

BOLTON MANITOBA SPA  
Via Pirelli, 19  
20124 Milano - Italy  
Tel. +39 02 6709 333 - Fax +39 0362 378 228

Distributor:

Alf.Mizzi & Sons (Mktg) Group  
Zachary House  
Marsa Industrial Estate -  
MARSA LQA 06 -MALTA - tel. 00356 2554 0000

+39 02 6709 333

Competent person responsible for the safety data sheet:

safetyinfo@boltonmanitoba.it

1.4. Emergency telephone number

+39 02 6709 333  
00356 2554 0000  
112

---

**SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

- ⚠ Warning, Met. Corr. 1, May be corrosive to metals.
- ⚠ Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.
- ⚠ Danger, Eye Dam. 1, Causes serious eye damage.
- ⚠ Warning, Aquatic Acute 1, Very toxic to aquatic life.
- ⚠ Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H290 May be corrosive to metals.

**WC NET BLEACH GEL - perfumed- pink**  
**SAFETY DATA SHEET (Regulation (EU) 2015/830)**



H314 Causes severe skin burns and eye damage.  
H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements:**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with applicable regulations.

**Special Provisions:**

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).  
PACK1 The packing must be featured by a safety lock for children.  
PACK2 The packing must have tactile indications of danger for blind people.

**Contains**

sodium hypochlorite, solution ... % Cl active  
ALKYL DIMETHYLAMINE OXIDE

**2.3. Other hazards**

vPvB Substances: None - PBT Substances: None

**Other Hazards:**

No other hazards

**Composition labelling (Detergent Regulation 648/2004/EC).**

Ingredients - 648/2004/EC (www.boltondet.com):

< 5 % chlorine-based bleaching, soap, non-ionic surfactants

Also contains: perfumes

**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

Not applicable

**3.2. Mixtures**

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 1% - < 3%	sodium hypochlorite, solution ... % Cl active	Index 017-011-00-1 number: CAS: 7681-52-9 EC: 231-668-3 REACH No.: 01- 2119488154 -34-XXXX	⚠ 2.16/1 Met. Corr. 1 H290 ⚠ 3.2/1B Skin Corr. 1B H314 ⚠ 4.1/C1 Aquatic Chronic 1 H410 M=1. ⚠ 4.1/A1 Aquatic Acute 1 H400 M=10. EUH031 Specific Concentration Limits: C >= 5%: EUH031
>= 1% - < 3%	ALKYL DIMETHYLAMINE OXIDE	CAS: 68955-55-5 EC: 931-341-1 REACH No.: 01-	⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 4.1/C2 Aquatic Chronic 2 H411



		2119489396 -21-XXXX	M=1. ⚠ 3.3/1 Eye Dam. 1 H318 ⚠ 4.1/A1 Aquatic Acute 1 H400 M=1.
>= 0,5% - < 1%	sodium hydroxide; caustic soda	Index number: CAS: EC: REACH No.:	011-002-00-6 1310-73-2 215-185-5 01- 2119457892 -27-XXXX
			⚠ 3.2/1A Skin Corr. 1A H314 Specific Concentration Limits: C >= 5%: Skin Corr. 1A H314 2% <= C < 5%: Skin Corr. 1B H314 0,5% <= C < 2%: Skin Irrit. 2 H315 0,5% <= C < 2%: Eye Irrit. 2 H319

For full text of the R, H and EUH sentences mentioned in this Section, see Section 16. Exposure limits in the workplace, if available, are listed in Section 8.1.

[1] Exempted: ionic mixture. See Regulation 1907/2006/EC, Annex 5, paragraphs 3 and 4 and "Guidance for Annex V - Exemptions from the obligation to register" ([http://echa.europa.eu/documents/10162/13632/annex\\_v\\_en.pdf](http://echa.europa.eu/documents/10162/13632/annex_v_en.pdf)). This salt is potentially present on the basis of calculations and is included in the list of substances for the purposes of classification and labeling only. The starting substances of the ionic mixture are registered or exempted.

[2] Exempted: Included in Annex IV of Regulation 1907/2006/EC.

[3] Exempted: Included in Annex V of Regulation 1907/2006/EC.

[4] Polymer, exempted under Article. 2.9 of Regulation 1907/2006/EC.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### 4.2. Most important symptoms and effects, both acute and delayed

None

### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:



- None in particular.
- 5.2. Special hazards arising from the substance or mixture  
Do not inhale explosion and combustion gases.  
Burning produces heavy smoke.
- 5.3. Advice for firefighters  
Use suitable breathing apparatus .  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

---

### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures  
Wear personal protection equipment.  
Remove persons to safety.  
See protective measures under point 7 and 8.
- 6.2. Environmental precautions  
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
Retain contaminated washing water and dispose it.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.  
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up  
Wash with plenty of water.
- 6.4. Reference to other sections  
See also section 8 and 13

---

### **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling  
Avoid contact with skin and eyes, inhalation of vapours and mists.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities  
Keep in a fresh and ventilated area.  
Avoid direct sunlight.  
Keep container tightly closed.  
Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Adequately ventilated premises.
- 7.3. Specific end use(s)  
None in particular

---

### **SECTION 8: Exposure controls/personal protection**

- 8.1. Control parameters  
sodium hydroxide; caustic soda - CAS: 1310-73-2  
ACGIH - STEL: Ceiling 2 mg/m<sup>3</sup> - Notes: URT, eye, and skin irr  
DNEL Exposure Limit Values  
sodium hypochlorite, solution ... % Cl active - CAS: 7681-52-9  
Worker Industry: 1.55 03 - Consumer: 1.55 03 - Exposure: Human Inhalation - Frequency:



Long Term, systemic effects

Worker Industry: 1.55 03 - Consumer: 1.55 03 - Exposure: Human Inhalation - Frequency:

Long Term, local effects

Worker Industry: 3.1 03 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Consumer: 3.1 19141.05 - Exposure: Human Dermal - Frequency: Long Term, local effects

Consumer: 0.26 19141.05 - Exposure: Human Oral - Frequency: Long Term, systemic effects

ALKYL DIMETHYLAMINE OXIDE - CAS: 68955-55-5

Worker Industry: 11 19141.05 - Consumer: 5.5 19141.05 - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 15.5 03 - Consumer: 3.8 03 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 0.44 19141.05 - Exposure: Human Oral - Frequency: Long Term, systemic effects

sodium hydroxide; caustic soda - CAS: 1310-73-2

Worker Industry: 1 03 - Consumer: 1 03 - Exposure: Human Inhalation

PNEC Exposure Limit Values

sodium hypochlorite, solution ... % Cl active - CAS: 7681-52-9

Target: Fresh Water - Value: 0.00021 mg/l

Target: Marine water - Value: 0.000042 mg/l

ALKYL DIMETHYLAMINE OXIDE - CAS: 68955-55-5

Target: Fresh Water - Value: 0.0335 mg/l

Target: Freshwater sediments - Value: 5.24 mg/kg

Target: Marine water sediments - Value: 0.524 mg/kg

Target: Microorganisms in sewage treatments - Value: 24 mg/l

Target: Soil (agricultural) - Value: 1.02 mg/kg

8.2. Exposure controls

Eye protection:

Basket eye glasses.

Face protection shield.

Protection for skin:

Safety shoes.

Protective apron.

Protection for hands:

Suitable gloves type:

waterproof gloves

Gloves with long cuffs.

Suitable material:

CR (polychloroprene, chloroprene rubber).

Butyl caoutchouc (butyl rubber).

PE (polyethylene).

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None



**SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

<b>Properties</b>	<b>Value</b>	<b>Method:</b>	<b>Notes:</b>
Appearance:	Transparent liquid	--	--
Colour:	Yellow	--	--
Odour:	characteristic odor of chlorine with floral notes	--	--
Odour threshold:	N.D.	--	smell distinctly perceptible under normal use conditions.
pH:	13.0	--	the product as such (100%)
Melting point / freezing point:	Not Relevant	--	mixture of many different substances
Initial boiling point and boiling range:	Not Relevant	--	mixture of many different substances
Flash point:	Not Relevant	--	Will not burn
Evaporation rate:	N.D.	--	poorly volatile
Solid/gas flammability:	Not applicable	--	liquid product
Upper/lower flammability or explosive limits:	Not Relevant	--	it does not burn
Vapour pressure:	N.D. bar / 20°C	--	lower than water: < 2300 mPa
Vapour density:	Not Relevant	--	This property is not pertinent or not relevant to the safety and product classification
Relative density:	1.078 kg/l	--	0
Solubility in water:	Complete	--	--
Solubility in oil:	Insoluble	--	--
Partition coefficient (n-octanol/water):	Not applicable	--	mixture of many different substances
Auto-ignition temperature:	Not applicable	--	not flammable
Decomposition temperature:	N.D. (>40°C)	--	very slow decomposition
Viscosity:	1000 cps	--	@20°C



Explosive properties:	Not applicable	--	No known risk of dust formation or explosive atmospheres
Oxidizing properties:	Not applicable	--	It does not contain oxidizing substances

#### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant	--	--
Fat Solubility:	Not Relevant	--	--
Conductivity:	Not Relevant	--	--
Substance Groups relevant properties	Not Relevant	--	--

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Contact with acids liberates toxic gas (chlorine)! It can react with oxidizable metals, with reducing agents. Use only under the conditions and for the intended uses.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage (between -10 °C and + 30 °C). It may decompose slowly at temperatures above 40-50 °C with gas evolution.

#### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

Keep in a ventilated area, away from heat, moisture.

Avoid conditions of handling, storage and use other than those explicitly indicated on the label and / or in Sections 7 and 8

#### 10.5. Incompatible materials

materiali sensibili agli ossidanti, come prodotti riducenti, ammine, metalli facilmente ossidabili, metalli pesanti

materials sensitive to strong bases or incompatible with the alkaline environment (eg. acids).

#### 10.6. Hazardous decomposition products

By thermal decomposition or in case of fire can be released vapors potentially dangerous to health.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Toxicological information of the product:

Not applicable

Toxicological information of the main substances found in the product:

sodium hypochlorite, solution ... % Cl active - CAS: 7681-52-9

##### a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 1100 mg/kg

Test: LD50 - Route: Inhalation - Species: Rat > 10.5 mg/l - Duration: 1h

Test: LD50 - Route: Skin - Species: Rabbit > 20000 mg/kg

##### f) carcinogenicity:

Test: 16 - Route: Oral - Species: Rat = 50 mg/kg

##### g) reproductive toxicity:



Test: 16 - Route: Oral - Species: Rat = 5 mg/kg  
ALKYL DIMETHYLAMINE OXIDE - CAS: 68955-55-5  
a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat = 846 mg/kg  
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg  
sodium hydroxide; caustic soda - CAS: 1310-73-2  
a) acute toxicity:  
Test: LD50 - Route: Skin - Species: Rabbit = 1350 mg/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

---

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.  
WC NET BLEACH GEL - perfumed- pink

#### a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 2 mg/l - Duration h: 48  
sodium hypochlorite, solution ... % Cl active - CAS: 7681-52-9

#### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 0.011-0.1 mg/l - Duration h: 96  
Endpoint: EC50 - Species: Daphnia = 0.011-0.1 mg/l - Duration h: 48

#### b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish = 10-100 mg/l - Duration h: 28 - Notes: Valore in giorni  
Endpoint: NOEC - Species: Algae = 1-10 mg/l - Duration h: 7 - Notes: Valore in giorni

ALKYL DIMETHYLAMINE OXIDE - CAS: 68955-55-5

#### a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae = 0.24 mg/l - Duration h: 72  
Endpoint: EC50 - Species: Daphnia = 2.4 mg/l - Duration h: 48  
Endpoint: LC50 - Species: Fish = 1.26 mg/l - Duration h: 96

sodium hydroxide; caustic soda - CAS: 1310-73-2

#### a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 189 mg/l - Duration h: 48

### 12.2. Persistence and degradability

None

Not applicable

### 12.3. Bioaccumulative potential

Not applicable

### 12.4. Mobility in soil

Not applicable

### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

### 12.6. Other adverse effects

None





---

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

---

### **SECTION 14: Transport information**

14.1. UN number

ADR/RID-UN number: 1791  
IATA-Un number: 1791  
IMDG-Un number: 1791

14.2. UN proper shipping name

ADR-Shipping Name: HYPOCHLORITE SOLUTION (sodium hypochlorite)  
IATA-Technical name: HYPOCHLORITE SOLUTION (sodium hypochlorite)  
IMDG-Technical name: HYPOCHLORITE SOLUTION (sodium hypochlorite)

14.3. Transport hazard class(es)

ADR/RID-Class: 8  
ADR-Label: 8  
IATA-Class: 8  
IMDG-Class: 8

14.4. Packing group

ADR/RID-Packing Group: III  
IATA-Packing group: III  
IMDG-Packing group: III

14.5. Environmental hazards

Marine pollutant: No

14.6. Special precautions for user

ADR-Tunnel Restriction Code: (E)  
IMDG-Technical name: HYPOCHLORITE SOLUTION (sodium hypochlorite)  
IMDG-EMS: F-A, S-B

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

---

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)  
Dir. 2000/39/EC (Occupational exposure limit values)  
Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) 2015/830  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:  
Restriction 3



Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: E1, E2

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

## **SECTION 16: Other information**

Text of phrases referred to under heading 3:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

EUH031 Contact with acids liberates toxic gas.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

<b>Hazard class and hazard category</b>	<b>Code</b>	<b>Description</b>
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2



Paragraphs modified from the previous revision:

**SECTION 3: Composition/information on ingredients**

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

<b>Classification according to Regulation (EC) Nr. 1272/2008</b>	<b>Classification procedure</b>
Met. Corr. 1, H290	On basis of test data
Skin Corr. 1A, H314	On basis of test data (pH)
Eye Dam. 1, H318	On basis of test data (pH)
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training.  
Main bibliographic sources:

ACGIH - Threshold Limit Values for Chemical Substances ([www.acgih.org](http://www.acgih.org))

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

User is responsible of complying all current and pertaining legislations, regulations and directives.

Company is not liable for any damage to persons or goods, caused by improper usage of information given in this safety data sheet.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.

**WC NET BLEACH GEL - perfumed- pink**  
**SAFETY DATA SHEET (Regulation (EU) 2015/830)**



KSt: Explosion coefficient.  
LC50: Lethal concentration, for 50 percent of test population.  
LD50: Lethal dose, for 50 percent of test population.  
N.A.: Not applicable  
N.D.: Not available  
PNEC: Predicted No Effect Concentration.  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
TLV: Threshold Limiting Value.  
TWA: Time-weighted average  
WGK: German Water Hazard Class.